



ఆంధ్రప్రదేశ్ రాజ పత్రము
THE ANDHRA PRADESH GAZETTE
PUBLISHED BY AUTHORITY

W.No.49

AMARAVATI, TUESDAY, DECEMBER 13, 2022

G.2255

**PART I - NOTIFICATIONS BY GOVERNMENT, HEADS OF DEPARTMENTS
AND OTHER OFFICERS**

--X--

NOTIFICATIONS BY GOVERNMENT

**ENVIRONMENT, FORESTS, SCIENCE & TECHNOLOGY
DEPARTMENT**

(Section.II)

FOREST RESERVATION - NANDYALA DISTRICT - KURNOOL DIVISION & RANGE -
DECLARATION - GANI EXTN.I FOREST BLOCK TO AN EXTENT OF 4.51 Ha OR
11.13 Acres OF COMPENSATORY AFFORESTATION IN Sy.Nos.1835 & 1836 OF
PANYAM VILLAGE & MANDAL IN NANDYALA DISTRICT AS PROTECTED
FOREST UNDER SECTION 24 OF THE ANDHRA PRADESH FOREST ACT, 1967
(ACT No.1 OF 1967).

[G.O.Ms.No.86, Environment, Forests, Science & Technology (Section.II), 9th December, 2022.]

NOTIFICATION

In exercise of the powers conferred by sub-section (1) of section 24 of the Andhra Pradesh Forest Act, 1967 (Act No.1 of 1967), the Government of Andhra Pradesh hereby declare, that the forest land described in the schedule below (delineated in the map kept in the office of the Principal Chief Conservator of Forests, AP, Guntur) to be a "Protected Forest" under the said Act with effect from the date of publication of this notification in the Andhra Pradesh Gazette.

SCHEDULE

Name of the District	:	Nandyala
Name of the Division	:	Kurnool
Name of the Range	:	Kurnool
Name of the Mandal	:	Panyam
Name of the Villages	:	Panyam
Name of the Block proposed to be Protected Forest	:	Gani Extn.-I
Area of the Forest Block proposed to be Protected Forest	:	4.51 Ha. (or) 11.13 Ac.

DETAILS OF AREAS INCLUDED IN THE FOREST BLOCK

Sl. No.	Name of the Village	Sy. No.	Classification of the land	Total extent (in Ac.)	Area included in the Block (Ac. Cents)
(1)	(2)	(3)	(4)	(5)	(6)
1	Panyam	1835	Patta	7.40	7.33
2	Panyam	1836	Patta	3.80	3.80
			TOTAL	11.20	11.13 Ac (or) 04.51 Ha.

BOUNDARIES

NORTH: Starting from Station No. 01, which is located at Latitude of 15.60144 and Longitude of 78.29331 runs upto Station No. 07 which is located at Latitude 15.60037 and Longitude 78.29677 as per Magnetic bearings and distances and DGPS co-ordinates are as detailed below.

Compass survey				DGPS co-ordinates			Remarks
Station No.		Magnetic bearings in degrees	Distance in meters	Station No.	Latitude	Longitude	
From	To						
1	2	127°	71	1	15.60144	78.29331	Along the boundary of Sy.No.1838 (Hill Stream) of Panyam Village.
2	3	114°	101	2	15.60106	78.29384	

Compass survey				DGPS co-ordinates			Remarks
Station No.		Magnetic bearings in degrees	Distance in meters	Station No.	Latitude	Longitude	
From	To						
3	4	79°	86	3	15.60069	78.29470	Along the boundary of Sy.No.1835 (Part-Cart Track) of Panyam Village.
4	5	114°	80	4	15.60084	78.29549	
5	6	113°	50	5	15.60055	78.29617	
6	7	91°	18	6	15.60037	78.29660	
				7	15.60037	78.29677	

EAST: Starting from Station No. 07, which is located at Latitude of 15.60037 and Longitude of 78.29677 runs upto Station No. 09 which is located at Latitude 15.59915 and Longitude 78.29591 as per Magnetic bearings and distances and DGPS co-ordinates are as detailed below:

Compass survey				DGPS co ordinates			Remarks
Station No.		Magnetic bearings in degrees	Distance in meters	Station No.	Latitude	Longitude	
From	To						
07	08	214°	80	07	15.60037	78.29677	Along the boundary of Sy.No.1828-1 (Part) of Panyam Village.
08	09	214°	83	08	15.59977	78.29635	
				09	15.59915	78.29591	

SOUTH: Starting from Station No. 09, which is located at Latitude of 15.59915 and Longitude 78.29591 runs upto Station No. 17 which is located at Latitude 15.60113 and Longitude 78.29301 as per Magnetic bearings and distances and DGPS co-ordinates are as detailed below:

Compass survey				DGPS co ordinates			Remarks
Station No.		Magnetic bearings in degrees	Distance in meters	Station No.	Latitude	Longitude	
From	To						
09	10	290°	45	09	15.59915	78.29591	Along the boundary of Compartment No. 108 of Gani RF.
10	11	307°	24	10	15.59929	78.29552	
11	12	270°	20	11	15.59943	78.29534	
12	13	298°	79	12	15.59943	78.29515	
13	14	264°	24	13	15.59976	78.29450	
14	15	296°	64	14	15.59974	78.29427	
15	16	335°	99	15	15.59999	78.29374	
16	17	315°	52	16	15.60080	78.29335	
				17	15.60113	78.29301	

WEST: Starting from Station No. 17, which is located at Latitude of 15.60113 and Longitude 78.29301 runs upto Station No. 01, the starting point which is located at Latitude of 15.60144 and Longitude of 78.29331 as per Magnetic bearings and distances and DGPS co-ordinates are as detailed below:

Compass survey				DGPS co ordinates			Remarks
Station No.		Magnetic bearings in degrees	Distance in meters	Station No.	Latitude	Longitude	
From	To						
17	01	43°	48	17	15.60113	78.29301	Along the boundary of Sy.No.1837 of Panyam Village and reaches station No. 01, the starting point.
				01	15.60144	78.29331	

REMARKS

- 1) There are no enclosures to be admitted within the Block.
- 2) No right of way/right of water course are admitted in the block:
- 3) In exercise of Powers conferred by the Sub-Section (1) of Section 24 of Andhra Pradesh Forest Act, 1967 (Act-I of 1967), the Government of Andhra Pradesh hereby declare that all kinds of trees and all classes of trees in the said "**Gani Extension-I**" Protected Forest to be reserved from the date of publication of this notification in Andhra Pradesh Gazette and District Gazette.
- 4) And prohibits, except in accordance with the rules made down under this Act, from the date of aforesaid the quarrying, or the burning of line, or charcoal or the collection of subjection of any manufacturing process or removal of any forest produce in the said "**Gani Extension-I**" Protected Forest and the breaking up or clearing for cultivation for building, for handing cattle or for any other purpose of the said "**Gani Extension-I**" Protected Forest.

NEERABH KUMAR PRASAD,
Special Chief Secretary to Government.

ప్రకటన

ఆంధ్రప్రదేశ్ ప్రభుత్వము అటవీ శాఖవారి అటవీ చట్టము 1967 (1967లోని మొదటి చట్టం) లోని 24 వ విభాగం ద్వారా లభించిన అధికారాలను పురస్కరించుకొని, ఆంధ్రప్రదేశ్ ప్రభుత్వం ఈ క్రింది సూచికలో వివరించిన అటవీ భూమిని (ఆంధ్రప్రదేశ్ అటవీ ప్రధాన సంరక్షనాధికారి, గుంటూరు వారి కార్యాలయంలో ఉంచిన మ్యాపులో వర్ణించబడినది). ఈ ప్రకటనను ఆంధ్రప్రదేశ్ గెజిట్ లో ప్రచురించిన తేది నుండి రక్షిత అడవిగా ఇందుమూలముగా ప్రకటిస్తున్నారు.

షెడ్యూలు

జిల్లా పేరు	:	నంద్యాల
అటవీ డివిజన్ పేరు	:	కర్నూలు
అటవీ రేంజి పేరు	:	కర్నూలు
రెవిన్యూ మండలం పేరు	:	పాణ్యం
గ్రామము పేరు	:	పాణ్యం
రక్షిత అడవిగా ప్రతిపాదించిన బ్లాకు పేరు	:	గవి ఎక్స్‌ప్లెన్షన్ -I
రక్షిత అడవిగా ప్రతిపాదించిన బ్లాకు విస్తీర్ణం	:	4.51 హెక్టారులు లేదా ఎ 11.13 సెంట్లు

బ్లాకు నందు పొందు పరచబడిన ప్రదేశముల వివరములు

వరుస సంఖ్య.	గ్రామము	సర్వే నెంబరు	రెవిన్యూ వర్గీకరణ	మొత్తం విస్తీర్ణం (ఎకరాలలో)	బ్లాకు నందు పొందు పరచబడిన విస్తీర్ణం (ఎకరాలలో)
1	2	3	4	5	6
1	పాణ్యం	1835	పట్టా	7.40	7.33
2	పాణ్యం	1836	పట్టా	3.80	3.80
			మొత్తం	ఎ 11.20 సెంట్లు	ఎ 11.13 సెంట్లు (లేదా) 4.51 హెక్టారులు

సరిహద్దులు

ఉత్తరం: లేటిట్ట్యూడ్ 15.60144 మరియు లాంగి ట్యూడ్ 78.29331 వద్ద వున్న స్టేషన్ నెం. 01 ప్రయాణించి లేటిట్ట్యూడ్ 15.60037 మరియు లాంగి ట్యూడ్ 78.29677 వద్ద వున్న స్టేషన్ నెం. 07 వరకు ఈ క్రింది మాగ్నెటిక్ బేరింగులు మరియు దూరముల మరియు డి. జి.పి.యస్. రీడింగులు ననుసరించి వెళ్ళును

కాంపాస్ సర్వే				డి. జి.పి.యస్. రీడింగులు			రిమార్కులు
స్టేషన్ నెం.		మాగ్నెటిక్ బేరింగులు డిగ్రీలలో	దూరం మీటర్లలో	స్టేషన్ నెం.	లేటిట్యూడ్ (డిగ్రీలలో)	లాంగి ట్యూడ్ (డిగ్రీలలో)	
నుండి	వరకు						
1	2	127°	71	1	15.60144	78.29331	పాణ్యం గ్రామం సర్వే నెంబరు 1838 (వారు), బొండరీ వెంబడి వెళ్ళును.
2	3	114°	101	2	15.60106	78.29384	
3	4	79°	86	3	15.60069	78.29470	
4	5	114°	80	4	15.60084	78.29549	పాణ్యం గ్రామం సర్వే నెంబరు 1835 భాగము (బండి దారి), బొండరీ వెంబడి వెళ్ళును.
5	6	113°	50	5	15.60055	78.29617	
6	7	91°	18	6	15.60037	78.29660	
				7	15.60037	78.29677	

తూర్పు: లేటిట్ట్యూడ్ 15.60037 మరియు లాంగి ట్యూడ్ 78.29677 వద్ద వున్న స్టేషన్ నెం. 07 ప్రయాణించి లేటిట్ట్యూడ్ 15.59915 మరియు లాంగి ట్యూడ్ 78.29591 వద్ద వున్న స్టేషన్ నెం 09 వరకు ఈ క్రింది మాగ్నెటిక్ బేరింగులు మరియు దూరముల మరియు డి. జి.పి.యస్. రీడింగులు ననుసరించి వెళ్ళును.

కాంపాస్ సర్వే				డి. జి.పి.యస్. రీడింగులు			రిమార్కులు
స్టేషన్ నెం.		మాగ్నెటిక్ బేరింగులు డిగ్రీలలో	దూరం మీటర్లలో	స్టేషన్ నెం.	లేటిట్యూడ్ (డిగ్రీలలో)	లాంగిట్యూడ్ (డిగ్రీలలో)	
నుండి	వరకు						
07	08	214°	80	07	15.60037	78.29677	పాణ్యం గ్రామం సర్వే నెంబరు 1828-1, బొండరీ వెంబడి వెళ్ళును.
08	09	214°	83	08	15.59977	78.29635	
				09	15.59915	78.29591	

దక్షిణము : లేటిట్ట్యూడ్ 15.59915 మరియు లాంగి ట్యూడ్ 78.29591 వద్ద వున్న స్టేషన్ నెం. 09 ప్రయాణించి లేటిట్ట్యూడ్ 15.60113 మరియు లాంగి ట్యూడ్ 78.29301 వద్ద వున్న స్టేషన్ నెం 17 వరకు ఈ క్రింది మాగ్నెటిక్ బేరింగులు మరియు దూరముల మరియు డి. జి.పి.యస్. రీడింగులు ననుసరించి వెళ్ళును.

కాంపాస్ సర్వే				డి. జి.పి.యస్. రీడింగులు			రిమార్కులు
స్టేషన్ నెం.		మాగ్నెటిక్ బేరింగులు డిగ్రీలలో	దూరం మీటర్లలో	స్టేషన్ నెం.	లేటిట్యూడ్ (డిగ్రీలలో)	లాంగి ట్యూడ్ (డిగ్రీలలో)	
నుండి	వరకు						
09	10	290°	45	09	15.59915	78.29591	గని రిజర్వు లోని కంపార్టుమెంట్ నెంబర్ 108 యొక్క బొంబర్ వెంబడి వెళ్ళును.
10	11	307°	24	10	15.59929	78.29552	
11	12	270°	20	11	15.59943	78.29534	
12	13	298°	79	12	15.59943	78.29515	
13	14	264°	24	13	15.59976	78.29450	
14	15	296°	64	14	15.59974	78.29427	
15	16	335°	99	15	15.59999	78.29374	
16	17	315°	52	16	15.60080	78.29335	
				17	15.60113	78.29301	

పడమర : లేటిట్యూడ్ 15.60113 మరియు లాంగిట్యూడ్ 78.29301 వద్ద వున్న స్టేషన్ నెం. 17 ప్రయాణించి లేటిట్యూడ్ 15.60144 మరియు లాంగిట్యూడ్ 78.29331 వద్ద వున్న స్టేషన్ నెం 01 అనగా ప్రారంభ స్థానం నకు ఈ క్రింది మాగ్నెటిక్ బేరింగులు మరియు దూరముల మరియు డి. జి.పి.యస్. రీడింగులు ననుసరించి వెళ్ళును.

కాంపాస్ సర్వే				డి. జి.పి.యస్. రీడింగులు			రిమార్కులు
స్టేషన్ నెం.		మాగ్నెటిక్ బేరింగులు డిగ్రీలలో	దూరం మీటర్లలో	స్టేషన్ నెం.	లేటిట్యూడ్ (డిగ్రీలలో)	లాంగి ట్యూడ్ (డిగ్రీలలో)	
నుండి	వరకు						
17	01	43°	48	17	15.60113	78.29301	పాణ్యం గ్రామం సర్వే నెంబరు 1837, బొంబడి వెంబడి వెళ్లి మరియు ప్రారంభ స్థానమయిన స్టేషన్ నెం 01 ని చేరును.
				01	15.60144	78.29331	

రిమార్కులు

- 1) అనుమతింప బడిన రైట్ ఆఫ్ వే (రహదారులు/బాటలు) లేవు.
- 2) ప్రవేశము మరియు నీటి వినియోగపు హక్కు ఈ బ్లాకు నందు అనుమతించబడలేదు.
- 3) అటవీ చట్టము- 1967 (1967లోని మొదటి చట్టం) లోని 24వ విభాగం, మొదటి సబ్ విభాగం ద్వారా సంక్రమించిన అధికారాలను పురస్కరించుకుని ప్రతిపాదిత “గని ఎక్స్‌ప్లోషన్స్ -I” రక్షిత అడవి నుండి అన్ని రకముల మరియు జాతుల చెట్లను, ఈ ప్రకటనను ఆంధ్ర ప్రదేశ్ గజెట్ లో ప్రచురించిన తేది నుండి రక్షిత అడవిగా ప్రకటిస్తున్నారు.
- 4) మరియు రాళ్ళు క్వారీ చేయడం, సున్నం లేదా బొగ్గు కాల్చడం లేదా తయారీ పద్ధతులకు సంబంధించిన ట్రేకింగ్ గాని, క్లియర్ చేయడం గాని, కట్టడాలు గాని, పశువులు మేపుట గాని మరియు ఏ ఇతర పనులు గాని, సదరు చట్టం లోని నియమాల ప్రకారం తప్ప: “గని ఎక్స్‌ప్లోషన్స్ -I” రక్షిత అడవి నందు ఇందుమూలముగా నిషేధించడమయినది.

---X---